JOURNAL OF PURE AND APPLIED ALGEBRA

VOLUMES 117 & 118 – 1997

Algorithms for Algebra

Guest editors: A.M. Cohen and M.-F. Roy

NORTH-HOLLAND
Amsterdam – Lausanne – New York – Oxford – Shannon – Tokyo

JOURNAL OF PURE AND APPLIED ALGEBRA
VOLUMES 117 & 118, MAY 1997

Algorithms for Algebra

CONTENTS

Editorial
Algorithms for algebra 1

G. Agnarsson
The number of outside corners of monomial ideals 3

J.-M. Arnaudiès and A. Valibouze
Lagrange resolvents 23

E. Becker, R. Grobe and M. Niermann
Radicals of binomial ideals 41

T.G. Berry
Parameterization of algebraic space curves 81

F. Beukers
On a sequence of polynomials 97

A. Capani, G.D. Dominicis, G. Niesi and L. Robbiano
Computing minimal finite free resolutions 105

E. Cattani and A. Dickenstein
A global view of residues in the torus 119

A.L. Chistov
Polynomial-time computation of the dimensions of components of algebraic varieties in zero-characteristic 145

A.M. Cohen, G. Ivanyos and D.B. Wales
Finding the radical of an algebra of linear transformations 177

A. Colin
Solving a system of algebraic equations with symmetries 195

L. Donati
Sets of convergent power series given by differential conditions 217

I.Z. Emiris, A. Galligo and H. Lombardi
Certified approximate univariate GCDs 229

S.A. Evdokimov and I.N. Ponomarenko
On the geometric graph isomorphism problem 253

M. Giusti, J. Heintz, K. Hägele, J.E. Morais, L.M. Pardo and J.L. Montaña
Lower bounds for diophantine approximations 277

W.A. de Graaf
Calculating the structure of a semisimple Lie algebra 319

P.A. Hendriks
An algorithm for computing a standard form for second-order linear q-difference equations 331

M. van Hoeij and J.-A. Weil
An algorithm for computing invariants of differential Galois groups 353

J. van der Hoeven
On the computation of limsups 381

R.C. Laubenbacher and C.J. Woodburn
An algorithm for the Quillen–Suslin theorem for monoid rings 395

M.A.A. van Leeuwen and M. Roelofs
Termination for a class of algorithms for constructing algebras given by generators and relations 431

P. Littelmann
An algorithm to compute bases and representation matrices for SL_{n+1}-representations 447

B. Mourrain
Isolated points, duality and residues 469

T. Oaku
Algorithms for the b-function and D-modules associated with a polynomial 495

J.E. Pommersheim
Barvinok's algorithm and the Todd class of a toric variety 519

H. Schenck and M. Stillman
Local cohomology of bivariate splines 535

M.F. Singer and F. Ulmer
Linear differential equations and products of linear forms 549

M. Sombra
Bounds for the Hilbert function of polynomial ideals and for the degrees in the Nullstellensatz 565

F. Sottile
Real enumerative geometry and effective algebraic equivalence 601

K. Yokoyama
A modular method for computing the Galois groups of polynomials 617

Author Index 637